

# SPECIFICATION

Electronic Version 1.2.8

Stylesheet Version 1.0

## Method For Making A Thermoformable Liner

### Background of Invention

[0001] *CROSS-REFERENCE TO RELATED DISCLOSURES*

[0002] This disclosure is a continuation-in-part of an earlier disclosure filed by the same inventor on May 22, 2001, serial number 09/681,694, entitled: "Method of Making A Thermoformable Liner."

[0003] *BACKGROUND OF THE INVENTION*

[0004] *Field of the invention*

[0005] This invention relates, generally, to the art of prosthetics. More particularly, it relates to a method for making a hard socket or a liner by thermoforming.

[0006] *Description of the prior art*

[0007] Some amputees wear socks on their residual limb to provide cushioning between the residual limb and the surface of a hard socket. However, socks cannot provide an airtight seal between the residual limb and the socket. As a result, various means are employed to prevent relative motion between the residual limb and the socket, but such means are largely inadequate.

[0008] Accordingly, inventors in the prosthetics industry have developed various rubber-like cushioning means that are adapted to be worn like socks over the residual limb. Such cushioning means provide an airtight seal around the residual limb. This enables creation of a vacuum in the unoccupied part of the hard socket, *i.e.*, in the lowermost end of the socket below the residual limb. The vacuum substantially prevents relative movement between the residual limb and the socket.

[0009] Most rubber-like liners are unacceptable, however, because they are skin-unfriendly and have other unwanted side effects. Urethane, for example, provides the desired cushioning effect but can irritate the skin and create odors.

[0010] Silicone RTV has become the material of choice for custom liners. A mold is made that duplicates the geometry of the patient's stump and liquid RTV silicone is poured into the mold. The mold is opened after twenty four hours and the custom silicone liner is retrieved.

[0011] There are several drawbacks to this process. First, it requires the mixing of silicone. Second, it requires the making of a mold. Moreover, the process takes more than a day to complete.

[0012] However, in view of the prior art considered as a whole at the time the present invention was made, it was not obvious to those of ordinary skill in the art how a custom liner could be made in the absence of silicone mixing, mold-making, and the like.

## Summary of Invention

[0013] The longstanding but heretofore unfulfilled need for an improved method for making custom liners is now met by a new, useful, and nonobvious invention. The heart of the invention is its provision of a thermoformable prosthetic liner. The novel method of making a thermoformable tubular liner for use in a prosthetic appliance includes the steps of preparing a negative cast from a patient's residual limb, preparing a positive cast from the negative cast, and placing a thermoformable tubular liner over the positive cast.

[0014] The positive cast and the thermoformable tubular liner are then heated in an oven for a predetermined amount of time, such as thirty minutes, at a predetermined temperature such as about ninety to one hundred degrees Celsius. The cast and thermoformable tubular liner are removed from the oven and allowed to cool to room temperature. The thermoformable tubular liner is then removed from the cast. An interior surface of the thermoformable tubular liner will now be observed to conform to the shape of the positive cast.

[0015] A procedure that produces the most consistent results includes the steps of preheating the positive cast, placing the thermoformable liner over the heated cast, placing both the positive cast and the thermoformable liner in the oven, and removing both items from the oven and letting them cool to room temperature.

[0016] A faster procedure includes the steps of preheating the thermoformable liner, placing the thermoformable liner over the positive cast, and letting both items cool to room temperature.

[0017] The thermoformable tubular liner exhibits elasticity when cooled to room temperature. Accordingly, it returns to its pre-stretched size and shape when stretched and released at room temperature.

[0018] The thermoformable tubular liner is adapted to be stretched and fitted over a residual limb. Due to its elasticity, it remains on the residual limb even as the residual limb shrinks during the day.

[0019] The positive cast may also be preheated in the oven for a predetermined amount of time such as two to three hours at a predetermined temperature such as about ninety to one hundred degrees Celsius prior to said step of placing the thermoformable tubular liner over the positive cast.

[0020] The thermoformable tubular is formulated by mixing triblock copolymers of the styrene, ethylene styrene type with mineral oils at a predetermined concentration. The predetermined concentration is about 200 to 400 parts of mineral oil per 100 parts of polymer.

[0021] A fabric may also be applied in overlying relation to an exterior surface of the liner. When a fabric is applied, the step of applying the fabric is performed after the step of placing the thermoformable tubular liner over the positive cast and prior to the step of heating the positive cast and thermoformable tubular liner in the oven.

[0022] A general object of the invention is to provide a method for making a custom prosthetic liner by a thermoforming process.

[0023] A more specific object is to provide a method for making a custom prosthetic liner where the method requires no silicone mixing and no mold-making.

[0024] Another very important object is to provide a thermoformable liner that acquires a new geometry upon being heating in an oven and cooled to room temperature, and which returns to that new geometry upon being stretched and released at room temperature so that it may be worn on a residual limb all day without becoming loose if the residual limb shrinks during the day.

[0025] It is also an object of this invention to provide a method for making a thermoformable liner that is easy and economical to follow and that results in high quality liners.

[0026] Another object is to provide a thermoformable liner having elasticity so that it may be turned inside out to facilitate putting it on and taking it off.

[0027] Yet another object is to provide a thermoformable liner exhibiting elasticity so that it can be used with residual limbs having irregular geometries.

[0028] These and other important objects, advantages, and features of the invention will become clear as this description proceeds.

[0029] The invention accordingly comprises the features of construction, combination of elements, and arrangement of parts that will be exemplified in the description set forth hereinafter and the scope of the invention will be indicated in the claims.

## Brief Description of Drawings

[0030] For a fuller understanding of the nature and objects of the invention, reference should be made to the following detailed description, taken in connection with the accompanying drawings, in which:

[0031] Fig. 1 is a front elevational view of a residual limb covered with plaster;

[0032] Fig. 2 is a front elevational view of a positive cast made from a negative cast;

[0033] Fig. 3 is a perspective view depicting the placing of the positive cast in an oven;

[0034] Fig. 4 depicts the placing of a thermoformable liner on the positive cast after said positive cast has been removed from said oven;

[0035] Fig. 5 depicts the placing of the liner and positive cast back into said oven; and

[0036] Fig. 6 depicts the novel liner after it has been removed from the positive cast.

## Detailed Description

[0037] Referring to Fig. 1, it will there be seen that the reference numeral 10 denotes the first step in the novel method. A patient's residual limb 12 is covered with plaster 14 in a well-known way to create a negative plaster cast of said residual limb. Fig. 2 depicts the positive plaster cast 16 that is made from the negative. Prominences 18 in said positive plaster cast 16 correspond to bony prominences in the patient's residual stump. One or more of the prominences 18 are reduced in size as deemed appropriate by the prosthetist. Other cast modifications may be required as well. See pages 105-111 of an article entitled "Clinical Aspects of Lower Extremity Prosthetics," published by the Canadian Association of Prosthetists and Orthosists, ISBN No. 0-921832-02-8. For above-knee amputations, different considerations apply to the modification of the cast, but the process is similar.

[0038] Positive cast 16 is then preheated for about two to three hours in oven 22 (Fig. 3) to a low temperature such as 90 ° C to 100 ° C.

[0039] Cast 16 is removed from oven 22 and liner 24 is stretched thereonto as illustrated in Fig. 4. Liner 24 has a conventional, tubular configuration before it is stretched onto cast 16.

[0040] Fig. 5 depicts the placing of cast 16 having liner 24 thereon into oven 22. The cast and liner are left in the oven for about thirty minutes or until the liner becomes pliable. Liner 24, being formed of a suitable thermoformable material, becomes molded to the shape of positive cast 16 in this step of the method, *i.e.*, it acquires a new geometry. Positive cast 16 and liner 24 are removed from oven 22 upon expiration of said thirty minute time period and allowed to cool to room temperature. Liner 24 is then removed from positive cast 16.

[0041]

Fig. 6 depicts said liner 24 after its separation from said positive cast 16. Note that the liner is no longer tubular in configuration; it has been thermoformed so that its interior surface matches the shape of positive cast 16. Accordingly, there are concavities such as concavity 26 formed in said interior surface, said concavities

matching bony prominences 18 of positive cast 16. Significantly, the formation of these concavities is permanent, *i.e.*, they will not disappear as the patient uses the liner.

[0042] Although the steps of the novel method may be deemed to be complete at this point, if the prosthetist want to make a hard socket at this time, liner 24 is left on positive cast 16 and the hard socket is laminated directly over said liner. Upon completion of the lamination, positive cast 16 is then separated from liner 24 and the hard socket.

[0043] A faster procedure omits the step of preheating the positive cast in the oven. Instead, the thermoformable liner is preheated until it becomes pliable, the heated thermoformable liner is placed over the positive cast, and both the thermoformable liner and positive cast are allowed to cool to room temperature. The thermoformable liner is then removed from the positive cast and is ready for use. Its interior surface matches the exterior surface of the positive cast. Moreover, the thermoformable liner made with this fast procedure acquires a new geometry where it conforms to the positive cast, and it returns to its new geometry when stretched and released, just as when made with the lengthier procedure. The lengthier procedure (preheating the positive cast, placing the thermoformable liner over the heated positive cast, placing both items in the oven, and letting them cool) is considered to be the safer procedure and produces the most consistent results.

[0044] Most thermoplastic rubbers such as thermoplastic urethanes, ethylene/propylene TPR", and Santoprene® rubber, manufactured by Monsanto, are thermoformable. However, these rubbers are generally too hard or skin-unfriendly to be used for liners.

[0045] Suitable formulations include mixtures of triblock copolymers of the styrene, ethylene styrene type mixed with mineral oils in the concentration of 200 to 400 parts of oil per 100 parts of polymer. Formulations of this type produce elastomers having a durometer reading of 40-60 on the "00" scale.

[0046] Significantly, after liner 24 has been removed from oven 22, it retains its elastomeric quality. Because it is formed of a thermoformable material, it will not return to its pre-heated size and shape after it has cooled. However, when it is

stretched and released at room temperature, it returns to the size and shape it had upon being removed from the oven and cooled.

[0047] More particularly, liner 24, being formed of the disclosed thermoformable material, maintains the new geometry it acquires as a result of the novel process. Moreover, it exhibits elasticity in that when stretched and released at room temperature, it returns to said newly acquired geometry. No re-heating is required for the material to exhibit such elasticity. Thus, it may be worn on a residual limb throughout the day because its elasticity holds it to said residual limb as said residual limb shrinks. Most amputees experience a shrinking of the limb as the day goes on. A residual limb will shrink about 2–5% where a liner without a pin is used and will shrink about 5–10% when a liner having a pin is used. The greater shrinkage associated with a liner having a pin is due to the milking action of that type of liner. Residual limbs having fluid build-up or circulatory problems may shrink more than others. However, the elasticity of the novel liner is sufficient to accommodate residual limbs of widely varying sizes and shapes and to hold to said residual limbs throughout the day.

[0048] The elasticity of the novel liner also enables it to fit residual limbs having irregular geometries. Moreover, its elasticity enables it to be turned inside out, thereby making it easy to put on and take off.

[0049] Liner 24 may also be covered by a fabric 26. The temperature in the oven is insufficient to ignite said fabric. Fabric 26 provides a thin, non-stick barrier between the gel-like base of the liner and the hard socket. Moreover, it prevents liner 24 from stretching to an unacceptable degree. Fabric 26 imparts tear strength to the liner and facilitates the introduction of the stump into the hard socket. Moreover, for liners having a distal attachment system, the fabric imparts low longitudinal stretch to the liner to prevent pistoning.

[0050] A liner not covered with fabric is also within the scope of this invention. Such a liner would not be as durable as a fabric-covered liner nor would it function as well.

[0051] It will thus be seen that the objects set forth above, and those made apparent from the foregoing description, are efficiently attained. Since certain changes may be made in the above construction without departing from the scope of the invention, it

is intended that all matters contained in the foregoing description or shown in the accompanying drawings shall be interpreted as illustrative and not in a limiting sense.

[0052] It is also to be understood that the following claims are intended to cover all of the generic and specific features of the invention herein described, and all statements of the scope of the invention that, as a matter of language, might be said to fall therebetween.

[0053] Now that the invention has been described,

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000